Department of Education
Department of Job and Family Services

Family Child Care Licensing Inspection Full Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at http://jfs.ohio.gov/CDC/childcare.stm. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details		
Program Name ZIMMERMAN, JOY	Program Number 000000945224200	Program Type FCC - Type B Home
Address 1020 TRENTON AVE. UHRICHSVILLE OH 44683		County TUSCARAWAS

Inspection Information		
Inspection Type Compliance	Inspection Scope Full	Inspection Notice Unannounced
Inspection Date 09/19/2024	Begin Time 9:15 AM	End Time 12:20 PM
Reviewer: Bernice Bowman		

Summary of Findings				
No. Rules Verified	No. Rules with Non-compliances	No. Serious Risk	No. Moderate Risk	No. Low Risk
68	3	0	1	4

License Capacity and Enrollment at the Time of Inspection				
Age Group	License Capacity	Enrollment		
	Totals	Full Time	Part Time	Total
Infant (Birth to < 18 m)		1	0	1
Young Toddler		2	0	2
Total Under 2 Years	3	3	0	3
Older Toddler		4	0	4
Preschool		0	0	0
School Age		4	0	4
Total Capacity/Enrollment	6	8	0	11

Staff-Child Ratios at the Time of Inspection			
Group	**Age Group/Range**	**Ratio Observed**	**Comment**
Joy Zimmerman	Mixed Age Group	1 to 5	

Department of Education
Department of Job and Family Services

Summary of Non-Compliances

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

Serious Risk Non-Compliances

No Serious Risk Non-Compliances were observed during this inspection

Moderate Risk Non-Compliances

Domain: 02 Safe & Sanitary Environment

Rule: 5101:2-13-12 Safe Environment
Code: The program is required to protect children from any items and conditions which threaten their health, safety, and well-being.

Findings: Children in care shall be protected from any items and conditions which threaten their health, safety, and well-being. During the inspection, it was determined the program did not protect children from an unsafe item or condition or equipment due to the following number 15 below:

1. Pull cord(s) on the window blind(s).
2. Extension cord(s); electrical cord(s) attached to an object that could result in a severe injury if pulled.
3. Stacked tables.
4. Folding tables.
5. Matches and/or a lighter.
6. Power tool(s).
7. Live wires.
8. Stove(s) that are either on or able to be turned on by a child.
9. Asbestos.
10. Traffic.
11. A body of water.
12. A well.
13. Environmental hazard(s) confirmed by local authorities having jurisdiction over the hazard.
14. A crockpot used to heat bottles.
15. Immediate access to a knife.

16. Large or heavy pieces of shelving units are not securely anchored to the wall.
17. Marijuana was accessible to children.
18. Other [ ].

Any hazardous equipment must be removed, replaced, or repaired and any hazardous condition must be corrected and must be made inaccessible to children. Provide staff training. Submit the program's corrective action plan, which includes a statement that the item or condition has been removed and a statement that training was provided, to the Department to verify compliance with the requirements of this rule. During inspection the FCC Provider was using a butter knife to prop open the bathtub drain.

Corrective Action Plan Due: 10/20/2024

Low Risk Non-Compliances

Domain: 02 Safe & Sanitary Environment

Rule: 5101:2-13-12 Safe Environment
Code: The program is required to direct handles of pots and pans inward to make inaccessible to children.

Findings: During the inspection, it was determined the handles of the pots or pans on the stove were not directed inward and inaccessible to children in care. Correct the violation and submit the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 10/20/2024

Domain: 02 Safe & Sanitary Environment

Rule: 5101:2-13-12 Safe Environment
Code: The program is required to provide an environment that protects the children in care from any items and conditions that may threaten their health, safety, and well-being.

Findings: Children in care shall be protected from any items and conditions which threaten their health, safety, and well being. During the inspection, it was determined that children were not protected from the following item(s) or condition(s) which may threaten their health, safety, or well being as noted in the following number(s) 22 below:

1. Surge protectors/outlets did not have childproof receptacle covers.
2. Open pull cords that are not closed loop.

3. Toys or other items small enough to be swallowed were present in the space where infants and/or toddlers were in care.
4. Electrical/extension cords attached to an object that would not likely result in a severe injury if pulled.
5. Stacked chairs.
6. Telephone cords.
7. Employee(s) purse(s).
8. Diaper bags.
9. Television not securely anchored.
10. Small or lightweight pieces of shelving units are not securely anchored to the wall.
11. Staff member stepped over a barrier/gate while holding a child.
12. Chipping or peeling paint.
13. An area rug did not have a nonskid backing.
14. An area rug presented a tripping hazard.
15. A floor surface was unsafe in that [ ].
16. No platform was provided for the sink or toilet.
17. The platform provided for the sink or toilet was not sturdy.
18. The platform provided for the sink or toilet posed a safety hazard in that [ ].
19. Emergency exits were blocked by the following furniture in that [ ].
20. A mercury thermometer was being used to take a child's temperature.
21. Methods of ventilation used did not provide protection from rodents, insects, or other hazards.
22. Other - During inspection it was observed that the outside outlet, beside door leading to play area, did not have outlets covered.

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 10/20/2024

Domain: 04 Indoor/Outdoor Space

Rule: 5101:2-13-11 Outdoor Space
Code: The program staff is required to protect the children from hazardous conditions in the outdoor play area.

Findings: During the inspection, it was determined that the following hazardous conditions existed in the outdoor play area, as noted in number(s) 15 below:

1. There was broken glass.
2. There were tall weeds.
3. There was poison ivy.
4. There were tree branches.
5. There was mold visible.
6. The sandbox was contaminated.
7. There were thistles with prickers.
8. There were bird droppings.
9. The outdoor area was littered with trash.
10. The trash can was missing a lid.

11. The trash was not emptied from the day(s) before.
12. The trash can was overflowing with trash.
13. The trash can was infested with insects.
14. The trash can was visibly dirty.
15. Other - During inspection, it was observed that an insulated cable/utility line had become disconnected from the house and was in front of the door leading to the childrens play area

Correct the violation and submit the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 10/20/2024

Domain: 04 Indoor/Outdoor Space

Rule: 5101:2-13-12 Safe Equipment
Code: The program is required to use equipment that is safe and hazard free according to the manufacturer's guidelines. Fans, air conditioners, heat pumps, and space heaters must be inaccessible to children. The program is required to refrain from using trampolines, ball pits and inflatable equipment intended for climbing and bouncing, including but not limited to slides and bounce houses.

Findings: During the inspection, equipment was determined to be unsafe, hazardous to children, or in need of repair as noted in number(s) 18 below:

1. Manufacturer's guidelines for the [ ] were not followed in that [ ].
2. The straps were missing on the [ ].
3. The straps were attached, but were not used on the [ ].
4. The straps were attached and were used, but were not used in a safe manner.
5. The equipment had sharp points or corners.
6. The equipment had splinters.
7. The equipment had protruding nails.
8. The equipment had loose or rusty parts.
9. The equipment had paint which contains lead or other poisonous materials.
10. The equipment had hazardous features.
11. A fan was unstable and could easily tip over.
12. A fan had openings a finger could enter.
13. The pipes from the heat pump felt hot to the touch
14. A space heater felt hot to the touch
15. The position of a space heater was a tripping hazard
16. The air conditioning unit was not enclosed and was accessible to children on the playground.
17. A ball pit, trampoline, inflatable bounce house, inflatable slide, inflatable equipment used for climbing and bouncing was used.
18. Other - During inspection, it was observed that a small plastic kiddie pool, with cracks/hole in the bottom, was in the childrens play area.

Submit the program’s corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 10/20/2024

Rules In-Compliance/Not Verified

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-02 License Visible	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-02 Information in OCLQS	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-02 Provider Medical	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-03 Inspection Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-04 Building Requirements for Type B Homes	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-04 Fire Safety for Type B Homes	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-04 Flammable and Combustible Materials in a Type B Home	Compliant	

Rule	Status	Documenting Statement(s), If applicable

5101:2-13-04 Heaters in a Type B Home	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-07 Staff Records	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-08 Employee Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-09 Background Checks	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-10 Health Training	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-10 Professional Development	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-11 Outdoor Equipment	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-11 Fall Zone	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-13 Clean environment and equipment	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-13 Handwashing	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-13 Smoke Free	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-13 Toothbrushing	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-14 Requirements for Field and Routine Trips	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-14 Ratio and Supervision for Field and Routine Trips	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-15 Child Medical and Enrollment Records	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-15 Health Conditions	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-15 Child Records Retention and Confidentiality	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Medical, Dental, and General Emergency Plan	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Emergency Drills	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 First Aid Kit/Standard Precautions	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Communicable Diseases	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Incident/Injury	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Emergency Preparedness and Response Plan	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-18 Attendance	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-19 Supervision	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-19 School Age Supervision	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-19 Child Guidance	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-20 Sleep and Nap Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-20 Crib and Playpen Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-21 Evening and Overnight Care	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-21 Sanitary Environment and Hygiene	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-22 Meals and Snacks	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-22 Fluid Milk	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-22 Food Handling	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-23 Infant Daily Care	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-23 Infant Bottle and Food Preparation	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-23 Diapering	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-25 Medication Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-07 Provider Responsibilities	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-18 Group Size and Ratios	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13 Written Policies and Procedures	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-12 Carbon Monoxide Detectors - Type B Only	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-08 Child Care Staff Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-11 Indoor Space	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-17 Programming	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-17 Materials and Equipment	Compliant	