Department of Education
Department of Job and Family Services

Center Complaint Inspection Summary Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at http://jfs.ohio.gov/CDC/childcare.stm. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details		
Program Name BUMBLEBEE VILLAGE	Program Number 2180017553	Program Type Child Care Center
Address 707 & 717 N. COURT STREET Medina OH 44256		County MEDINA

Inspection Information			
Inspection Type Complaint		Inspection Scope Partial	Inspection Notice Unannounced
Reviewer(s) DIANE TRACZYK	Inspection Day 09/16/2024	Begin Time 11:00 AM	End Time 12:00 PM

Summary of Findings				
No. Rules Verified	No. Rules with Non-compliances	No. Serious Risk	No. Moderate Risk	No. Low Risk
3	1	0	0	1

Staff-Child Ratios at the Time of Inspection			
Group	**Age Group/Range**	**Ratio Observed**	**Comment**
Pollen (11-18mos)	12 months to < 18 months	1 to 4	
Swarm (18mos-3yrs)	18 months to < 30 months	2 to 11	Nap
Honeyhive	3 years to < 4 years	2 to 15	Lunch
Honey Comb	4 years to < 5 years	1 to 11	Lunch

Complaint Allegations

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

No Complaints were observed during this inspection.

Summary of Additional Non-Compliances

Serious Risk Non-Compliances

No Additional Serious Risk Non-Compliances were observed during this inspection

Moderate Risk Non-Compliances

No Additional Moderate Risk Non-Compliances were observed during this inspection

Low Risk Non-Compliances

Domain:02 Safe & Sanitary Environment

Rule: 5101:2-12-12 Safe Equipment
Code: The program is required to use equipment, that is safe and hazard free, according to the manufacturer's guidelines. Fans, air conditioners, heat pumps, and space heaters must be inaccessible to children. The program is required to refrain from using trampolines, ball pits and inflatable equipment intended for climbing and bouncing, including but not limited to slides and bounce houses.

Findings: During the inspection, equipment was determined to be unsafe, hazardous to children, or in need of repair as noted in number 1 below:

1. Manufacturer's guidelines for the Clorox Bleach were not followed in that the dilution ratio or water to bleach for the sanitizing solution was a bit stronger than the manufacturer's guidelines. There was no evidence during the investigation that the bleach/water solution was used in classrooms while they were occupied by children.
2. The straps were missing on the [ ].
3. The straps were attached, but were not used on the [ ].
4. The straps were attached and were used, but were not used in a safe manner.
5. The equipment had sharp points or corners.
6. The equipment had splinters.
7. The equipment had protruding nails.
8. The equipment had loose or rusty parts.
9. The equipment had paint which contains lead or other poisonous materials.
10. The equipment had hazardous features.
11. A fan was unstable and could easily tip over.
12. A fan had openings a finger could enter.
13. The pipes from the heat pump felt hot to the touch
14. A space heater felt hot to the touch
15. The position of a space heater was a tripping hazard
16. The air conditioning unit was not enclosed and was accessible to children on the playground.
17. A ball pit, trampoline, inflatable bounce house, inflatable slide, or inflatable equipment used for climbing and bouncing was used.
18. Other [ ].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 10/17/2024