Department of Children & Youth

Center Complaint Inspection Summary Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at http://jfs.ohio.gov/CDC/childcare.stm. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details		
Program Name All 4 You Child Development Center, LLC	Program Number 2190020507	Program Type Child Care Center
Address 1007 S. McCord #14, 15, 16 Holland OH 43528		County LUCAS

Inspection Information			
Inspection Type Complaint		Inspection Scope Partial	Inspection Notice Unannounced
Reviewer(s) REBECCA COY	Inspection Day 04/23/2026	Begin Time 9:15 AM	End Time 10:10 AM

Summary of Findings				
No. Rules Verified	No. Rules with Non-compliances	No. Serious Risk	No. Moderate Risk	No. Low Risk
8	4	0	2	2

Staff-Child Ratios at the Time of Inspection			
Group	**Age Group/Range**	**Ratio Observed**	**Comment**
Infant/Toddler	12 months to < 18 months	1 to 2	9:20
Preschool	3 years to < 4 years	1 to 11	9:20

Department of Children & Youth

Complaint Allegations

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

Domain:02 Safe & Sanitary Environment

Rule: 5180:2-12-13 Sanitary Equipment and Environment
Code: The program is required to provide a clean restroom with the appropriate materials available.

Allegation: Complainant alleges the environment is unsanitary.

Determination: Substantiated

Findings: During the inspection, it was determined that unsanitary conditions, as noted in number(s) 5 below, were in the childrens restroom:

1. There was no liquid soap.
2. There was no toilet paper.
3. There were no paper towels.
4. The toilet cleaning brush was accessible to the children.
5. The plunger was accessible to the children.
6. The toilet(s) were not flushed.
7. The trash was not emptied from the day before.
8. There was a strong urine odor.
9. Other [ ].

The restroom(s) must be kept sanitary at all times. Technical assistance was provided at the time of the inspection, and as discussed, please correct this rule noncompliance. A written response for this rule noncompliance is required at this time.

Risk Level: Low

Corrective Action Plan Due: 05/23/2026

Domain:04 Indoor/Outdoor Space

Rule: 5180:2-12-11 Outdoor Space Requirements
Code: The program is required to have an outdoor play space free from immediate risk.

Allegation: Complainant alleges the program has no onsite outdoor play space.

Determination: Substantiated

Findings: During the inspection, it was determined that an area was used which was not protected from traffic and other hazards by a continuous fence in good condition, or natural barrier, that ensured children were not able to leave the playground area. The fence or natural barrier was determined to present an immediate risk for a child to be able to leave the playground as noted in number 10 below:

1. The fence, natural barrier, or combination of fence and natural barrier was not continuous.
2. The fencing had missing slat boards through which children could leave the playground.
3. The gate was broken and did not close.
4. The latch on the gate was broken.

Ohio Department of Children & Youth

5. The gate had no latch.
6. The fencing was broken.
7. The latch was easily opened by children on the playground.
8. The latch was not engaged to prevent children from opening the gate.
9. The portable fencing approved for use by the Department was not being used.
10. Other There is no fence or barrier

Discontinue use of the playground and provide a space for outdoor play which is well defined by a continuous fence or natural barrier and protected from other hazards. Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Risk Level: Moderate

Corrective Action Plan Due: 05/23/2026

Domain:05 Health & Safety

Rule: 5180:2-12-16 First Aid/Standard Precautions
Code: The program is required to have a first aid kit onsite.

Allegation: Complainant alleges the program does not have a complete first aid kit.

Determination: Substantiated

Findings: During the inspection, it was determined first aid kit(s) at the program had missing, or expired, items that are required by appendix A of this rule to be contained in a first aid kit, as noted in number(s) 1 below:

1. The program did not have a first aid kit onsite.
2. One roll of hypoallergenic first-aid tape.
3. Individually wrapped sterile gauze squares in assorted sizes.
4. Sterile adhesive bandages in assorted sizes.
5. Tweezers.
6. Gauze rolled bandage.
7. Triangular bandage.
8. Rounded end scissors.
9. Tooth preservation system or fresh chilled liquid milk in which to transport a lost permanent tooth, including a written reference indicating location of the refrigerator/freezer where milk is stored if a tooth preservation system is not part of the first aid kit (for programs serving school age children only).
10. A working digital thermometer.
11. Disposable non-latex gloves.
12. A working flashlight.
13. An instant cold pack that has not been activated or ice, including a written reference indicating location of the refrigerator/freezer where the ice is stored if an instant cold pack is not part of the first aid kit.
14. Sealable leak-proof plastic bags in assorted sizes or double bagged plastic bags that can be securely tied for materials soiled with blood or bodily fluids.
15. Pocket mask or face shield, appropriate for all ages of children in care, for cardiopulmonary resuscitation (CPR) administration.
16. Soap or waterless sanitizer (field trip or transporting away from the program only).
17. Bottled water (field trip or transporting away from the program only).

Technical assistance was provided at the time of the inspection, and as discussed, please correct this rule noncompliance. A written response for this rule noncompliance is required at this time.

Ohio Department of Children & Youth

Risk Level: Low

Corrective Action Plan Due: 05/23/2026

Summary of Additional Non-Compliances

Serious Risk Non-Compliances

No Additional Serious Risk Non-Compliances were observed during this inspection

Moderate Risk Non-Compliances

Domain:02 Safe & Sanitary Environment

Rule: 5180:2-12-12 Safe Environment
Code: The program is required to store chemicals and machinery in a place that is inaccessible to children. The program is required to provide an outdoor play area away from machinery in operation.

Findings: During the inspection, a potentially hazardous item or toxic substance was used or stored in the children's restroom where children had access to it, as noted in number(s) 1 & 2 below.

1. Bleach.
2. Cleaning agent.
3. Fish tank chemicals.
4. Gasoline.
5. Pesticide.
6. Poison, including insect/rodent poison.
7. Flammable substance.
8. Windshield washer fluid.
9. Aerosol cans.
10. A lawn mower.
11. A weed trimmer.
12. Hedge trimmers.
13. A snow blower.
14. Other potentially hazardous substance, equipment or machinery: [ ].

Department of Children & Youth

Provide staff training. Submit the program's corrective action plan, which includes a statement that the potentially hazardous substance or item is no longer accessible to children and/or children will not be outside when machinery is in use and a statement that training was provided, to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 05/23/2026

Low Risk Non-Compliances

No Low Additional Risk Non-Compliances were observed during this inspection