Department of Children & Youth

Center Complaint Inspection Summary Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at http://jfs.ohio.gov/CDC/childcare.stm. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details		
Program Name Kiddie Kollege Childcare Campus 2	Program Number 2200022649	Program Type Child Care Center
Address 2880 W. Laskey Road toledo OH 43613		County LUCAS

Inspection Information			
Inspection Type Complaint		Inspection Scope Partial	Inspection Notice Unannounced
Reviewer(s) SARA DIERKSHEIDE	Inspection Day 06/05/2025	Begin Time 9:00 AM	End Time 9:50 AM

Summary of Findings				
No. Rules Verified	No. Rules with Non-compliances	No. Serious Risk	No. Moderate Risk	No. Low Risk
5	2	0	0	2

Staff-Child Ratios at the Time of Inspection			
Group	**Age Group/Range**	**Ratio Observed**	**Comment**
Infants	0 to < 12 months	3 to 10	
Young toddlers	18 months to < 30 months	1 to 7	
older toddlers	30 months to < 36 months	1 to 7	
preschool	3 years to < 4 years	2 to 18	
pre-K	4 years to < 5 years	1 to 9	
5's	School-Age to < 11 years	1 to 10	
schoolagers	School-Age to < 11 years	2 to 18	

Department of Children & Youth

Complaint Allegations

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

No Complaints were observed during this inspection.

Summary of Additional Non-Compliances

Serious Risk Non-Compliances

No Additional Serious Risk Non-Compliances were observed during this inspection

Moderate Risk Non-Compliances

No Additional Moderate Risk Non-Compliances were observed during this inspection

Department of Children & Youth

Low Risk Non-Compliances

Domain:02 Safe & Sanitary Environment

Rule: 5180:2-12-12 Safe Environment
Code: The program is required to provide an environment that protects the children in care from any items and conditions that may threaten their health, safety, and well-being.

Findings: During the inspection, it was determined that children were not protected from item(s) or condition(s) which may threaten their health, safety, or well-being as noted in number(s) 13 below:

1. Surge protectors/outlets did not have childproof receptacle covers.
2. Open pull cords that are not closed loop.
3. Toys or other items small enough to be swallowed were present in the space where infants and/or toddlers were in care.
4. Electrical/extension cords attached to an object that would not likely result in a severe injury if pulled.
5. Stacked chairs.
6. Employee(s) purse(s).
7. Diaper bags.
8. Television not securely anchored.
9. Small or lightweight pieces of shelving units are not securely anchored to the wall.
10. Smoke detector needing batteries replaced.
11. An area rug did not have a nonskid backing.
12. An area rug presented a tripping hazard.
13. A floor surface that was unsafe in that the flooring in the hallway near the preschool classroom was warped, causing a tripping hazard.
14. No platform was provided for the sink or toilet in the [ ] classroom.
15. The platform provided for the sink or toilet in the [ ] classroom was not sturdy.
16. The platform provided for the sink or toilet in the [ ] classroom posed a safety hazard in that [ ].
17. Telephone cords.
18. Staff member stepped over a barrier/gate while holding a child.
19. Emergency exits were blocked by the following classroom furniture: [ ].
20. A mercury thermometer was being used to take a child's temperature.
21. Methods of ventilation used did not provide protection from rodents, insects, or other hazards.
22. Other [ ].

Provide staff training. Submit the program's corrective action plan, which includes a statement that training was provided, to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 07/05/2025

Domain:07 Diapering & Infant Care

Rule: 5180:2-12-20 Cribs
Code: The program is required to provide a safe and sufficient barrier to separate the play and sleeping space.

Findings: During the inspection, it was determined that the barrier between the play and sleeping space did not meet the requirements as noted in number(s) 1 below:

Ohio Department of Children & Youth

1. No barrier had been provided- the provider stated it had been damaged and the program was replacing it.
2. The barrier did not prevent the infants from entering the sleeping area.
3. The barrier was not safe.
4. The barrier was not sturdy.
5. The barrier impaired staff's ability to see and hear all sleeping infants in their cribs.
6. The barrier was inadequate.
7. Other [ ].

Technical assistance was provided at the time of the inspection, and as discussed, please correct this rule noncompliance. A written response for this rule noncompliance is not required at this time.