Department of Education
Department of Job and Family Services

Center Complaint Inspection Summary Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at http://jfs.ohio.gov/CDC/childcare.stm. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details		
Program Name Angels Land Here	Program Number 2230027603	Program Type Child Care Center
Address 364 W Exchange Street akron OH 44302		County SUMMIT

Inspection Information			
Inspection Type Complaint		Inspection Scope Partial	Inspection Notice Unannounced
Reviewer(s) SARAH HEIL-HINTON	Inspection Day 09/18/2024	Begin Time 2:00 PM	End Time 2:45 PM

Summary of Findings				
No. Rules Verified	No. Rules with Non-compliances	No. Serious Risk	No. Moderate Risk	No. Low Risk
5	3	0	1	2

Staff-Child Ratios at the Time of Inspection			
Group	**Age Group/Range**	**Ratio Observed**	**Comment**
Infant/Toddlers (under 2 1/2)	0 to < 12 months	2 to 13	Playtime/Sleep
Preschool (over 2 1/2)	30 months to < 36 months	1 to 10	Outdoor Play

Department of Education
Department of Job and Family Services

Complaint Allegations

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

Domain:01 Ratio & Supervision

Rule: 5101:2-12-18 Ratio
Code: The program is required to maintain the appropriate staff to child ratio for each group served.

Allegation: Program is out of ratio on Tuesdays and Wednesdays

Determination: Substantiated

Findings: During the inspection, a ratio of 1 child care staff member(s) for 10 children was determined to have occurred for the over 2 1/2 group when the situation in number(s) 2 below occurred:

1. A child care staff member stepped out of the room.
2. A child care staff member had not arrived at work on time.
3. Children were present who were not scheduled to be there.
4. A child care staff member was unable to work.
5. A child was injured in that group.
6. A child arrived in the group before a second staff member was scheduled to arrive with the group.
7. Two groups were combined, and the program did not follow the ratio for the youngest child in the group.
8. A child was transitioning to the next older age group, and the program did not follow the ratio for the youngest child in the group.
9. Ratio was doubled for more than two hours while children were napping.
10. Ratio was doubled while children were napping for a group that included at least one infant.
11. Ratio was doubled while children were napping and there were not enough staff members in the building to meet staff/child ratio.
12. Ratio was doubled in the school age group to allow access to the program, however, the program does not serve only school age children.
13. Both child care staff members did not have a working communication device when one staff member left the group to allow access to the school age only program.
14. The child care staff member did not return to the group after allowing access to the school age only program.
15. Other [ ].

Additional child care staff members must be hired or current child care staff members must be rescheduled to maintain compliance. Provide staff training. Submit the program's corrective action plan, which includes a statement that training was provided, to the Department to verify compliance with the requirements of this rule.

Risk Level: Moderate

Corrective Action Plan Due: 10/24/2024

Domain:02 Safe & Sanitary Environment

Rule: 5101:2-12-12 Safe Environment
Code: The program is required to provide an environment that protects the children in care from any items and conditions that may threaten their health, safety, and well-being.

Allegation: Program is not providing a safe environment.

Determination: Substantiated

Findings: During the inspection, it was determined that children were not protected from item(s) or condition(s) which may threaten their health, safety, or well-being as noted in number(s) 22 below:

1. Surge protectors/outlets did not have childproof receptacle covers.
2. Open pull cords that are not closed loop.
3. Toys or other items small enough to be swallowed were present in the space where infants and/or toddlers were in care.
4. Electrical/extension cords attached to an object that would not likely result in a severe injury if pulled.
5. Stacked chairs.
6. Employee(s) purse(s).
7. Diaper bags.
8. Television not securely anchored.
9. Small or lightweight pieces of shelving units are not securely anchored to the wall.
10. Smoke detector needing batteries replaced.
11. An area rug did not have a nonskid backing.
12. An area rug presented a tripping hazard.
13. A floor surface that was unsafe in that [ ].
14. No platform was provided for the sink or toilet in the [ ] classroom.
15. The platform provided for the sink or toilet in the [ ] classroom was not sturdy.
16. The platform provided for the sink or toilet in the [ ] classroom posed a safety hazard in that [ ].
17. Telephone cords.
18. Staff member stepped over a barrier/gate while holding a child.
19. Emergency exits were blocked by the following classroom furniture: [ ].
20. A mercury thermometer was being used to take a child's temperature.
21. Methods of ventilation used did not provide protection from rodents, insects, or other hazards.
22. Other: the preschool door was not securely attached to the frame.

Provide staff training. Submit the program's corrective action plan, which includes a statement that training was provided, to the Department to verify compliance with the requirements of this rule.

Risk Level: Low

Corrective Action Plan Due: 10/24/2024

Domain:02 Safe & Sanitary Environment

Rule: 5101:2-12-12 Safe Equipment
Code: The program is required to use equipment, that is safe and hazard free, according to the manufacturer's guidelines. Fans, air conditioners, heat pumps, and space heaters must be inaccessible to children. The program is required to refrain from using trampolines, ball pits and inflatable equipment intended for climbing and bouncing, including but not limited to slides and bounce houses.

Allegation: Equipment at the program is unsafe.

Determination: Substantiated

Findings: During the inspection, equipment was determined to be unsafe, hazardous to children, or in need of repair as noted in number(s) 18 below:

1. Manufacturer's guidelines for the [ ] were not followed in that [ ].
2. The straps were missing on the [ ].
3. The straps were attached, but were not used on the [ ].

4. The straps were attached and were used, but were not used in a safe manner.
5. The equipment had sharp points or corners.
6. The equipment had splinters.
7. The equipment had protruding nails.
8. The equipment had loose or rusty parts.
9. The equipment had paint which contains lead or other poisonous materials.
10. The equipment had hazardous features.
11. A fan was unstable and could easily tip over.
12. A fan had openings a finger could enter.
13. The pipes from the heat pump felt hot to the touch
14. A space heater felt hot to the touch
15. The position of a space heater was a tripping hazard
16. The air conditioning unit was not enclosed and was accessible to children on the playground.
17. A ball pit, trampoline, inflatable bounce house, inflatable slide, or inflatable equipment used for climbing and bouncing was used.
18. Other: a chair was on the playground was broken and a Little Tykes car had a broken wheel.

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Risk Level: Low

Corrective Action Plan Due: 10/24/2024

Summary of Additional Non-Compliances

Serious Risk Non-Compliances

No Additional Serious Risk Non-Compliances were observed during this inspection

Moderate Risk Non-Compliances

No Additional Moderate Risk Non-Compliances were observed during this inspection

Low Risk Non-Compliances

No Low Additional Risk Non-Compliances were observed during this inspection