Department of Education
Department of Job and Family Services

Center Licensing Inspection Full Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at http://jfs.ohio.gov/CDC/childcare.stm. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details			
Program Name Treehouse Academy Childcare	Program Number 2240029764		Program Type Child Care Center
Address 4026 N. Main st dayton OH 45405			County MONTGOMERY
Building Approval Date 06/07/2022	Use Group/Code E	Occupancy Limit 126	Maximum Under 2 ½
Fire Inspection Approval Date 04/12/2024	Food Service Risk Level Exempt		

Inspection Information		
Inspection Type Pre-license	Inspection Scope Full	Inspection Notice Unannounced
Inspection Date 05/22/2024	Begin Time 9:00 AM	End Time 11:45 AM
Inspection Date 05/22/2024	Begin Time 9:00 AM	End Time 11:45 AM
Inspection Date 07/03/2024	Begin Time 9:00 AM	End Time 10:30 AM
Reviewer: MARGARET CONRAD		
Reviewer: TRENTAE TAYLOR		
Reviewer: MARGARET CONRAD		

Summary of Findings				
No. Rules Verified	No. Rules with Non-compliances	No. Serious Risk	No. Moderate Risk	No. Low Risk
58	11	0	2	14

License Capacity and Enrollment at the Time of Inspection				
Age Group	License Capacity	Enrollment		
	Totals	Full Time	Part Time	Total
Infant (Birth to < 18 m)		0	0	0
Young Toddler		0	0	0

Total Under 2 ½ Years		0	0	0
Older Toddler		0	0	0
Preschool		0	0	0
School Age		0	0	0
Total Capacity/Enrollment		0	0	0

Staff-Child Ratios at the Time of Inspection			
Group	**Age Group/Range**	**Ratio Observed**	**Comment**

Summary of Non-Compliances

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

Serious Risk Non-Compliances

No Serious Risk Non-Compliances were observed during this inspection

Moderate Risk Non-Compliances

Domain: 04 Indoor/Outdoor Space

Rule: 5101:2-12-11 Outdoor Play Fall Zones
Code: The program is required to provide adequate fall surface for the outdoor play space.

Finding: During the inspection, it was determined that the playground did not have adequate fall surface under and around equipment as noted in number 2 below:

1. No fall surface
2. Adequate fall surface to soften the impact of a fall
3. Adequate fall surface to soften the impact of a fall that extended the length of the required fall zone
4. Other [ ]

With any equipment designed for climbing, swinging, bouncing, or sliding, resilient material, as specified in Appendix A, needs to be added in order to protect children in the event of a fall. Submit the program's corrective action plan, which includes written verification of the discontinued use of this equipment until corrections are made along with a description of the resilient material added, to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 06/28/2024

Domain: 08 Staff Files

Rule: 5101:2-12-09 Background Check Requirements
Code: The program is required to have all staff request background checks as required and receive a JFS 01176 or preliminary approval from ODJFS prior to allowing an individual to engage in assigned duties or be near children.

Finding: In review of the staff records, it was determined that background checks did not meet the requirements of the rule for the person(s) listed on the Employee Record Chart as noted in number 1 & 2 below:

1. The request for a background check for child care was not submitted in the OPR.
2. The fingerprints were not submitted electronically according to the process established by BCI.
3. The individual(s) had engaged in assigned duties or were near children and preliminary approval from ODJFS was not on file.
4. Background checks were not updated every five years.

Submit the program's corrective action plan, which includes a copy of the JFS 01176, or a copy of the preliminary approval or a statement that the individual(s) are no longer engaged in assigned duties and are not near children until the preliminary approval has been received, to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 06/28/2024

Low Risk Non-Compliances

Domain: 02 Safe & Sanitary Environment

Rule: 5101:2-12-12 Safe Equipment

Code: The program is required to use equipment, that is safe and hazard free, according to the manufacturer's guidelines. Fans, air conditioners, heat pumps, and space heaters must be inaccessible to children. The program is required to refrain from using trampolines, ball pits and inflatable equipment intended for climbing and bouncing, including but not limited to slides and bounce houses.

Finding: During the inspection, equipment was determined to be unsafe, hazardous to children, or in need of repair as noted in number 2 & 18 below:

1. Manufacturer's guidelines for the [ ] were not followed in that [ ].
2. The straps were missing on the infant feeding table.
3. The straps were attached, but were not used on the [ ].
4. The straps were attached and were used, but were not used in a safe manner.
5. The equipment had sharp points or corners.
6. The equipment had splinters.
7. The equipment had protruding nails.
8. The equipment had loose or rusty parts.
9. The equipment had paint which contains lead or other poisonous materials.
10. The equipment had hazardous features.
11. A fan was unstable and could easily tip over.
12. A fan had openings a finger could enter.
13. The pipes from the heat pump felt hot to the touch
14. A space heater felt hot to the touch
15. The position of a space heater was a tripping hazard
16. The air conditioning unit was not enclosed and was accessible to children on the playground.
17. A ball pit, trampoline, inflatable bounce house, inflatable slide, or inflatable equipment used for climbing and bouncing was used.
18. Other: The floor through out the center needs repaired and a lock needs added to the kitchen door.
SA room- baseboard needs repaired
Infant room- wall is buckling in the crib area and needs repaired, shelf under the kidney table needs removed, whale/ hook has chipping paint, the sink is cracked and needs repaired.
Hallway- baseboard needs repaired across from the restroom.
Day 2 - remove all power tools through out the center, remove additional carpet in the toddler classroom.
Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 06/28/2024

Domain: 02 Safe & Sanitary Environment

Rule: 5101:2-12-12 Safe Environment
Code: The program is required to provide an environment that protects the children in care from any items and conditions that may threaten their health, safety, and well-being.

Finding: Children in care shall be protected from any items and conditions which threaten their health, safety, and well-being. During the inspection, it was determined that at least one area of the program or at least one piece of equipment had chipping or peeling paint. Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 06/28/2024

Domain: 02 Safe & Sanitary Environment

Rule: 5101:2-12-13 Sanitary Equipment and Environment
Code: The program is required to follow the cleaning schedule for equipment.

Finding: During the inspection, it was determined that the program was not providing a clean and healthy environment, furniture, materials and equipment as required by Appendix A, as noted in number 30 below:

1. Item(s) soiled with blood or bodily fluids were not cleaned/sanitized immediately.
2. Blankets/sheets were not cleaned weekly, when soiled, or before use by another child.
3. Children's individual blankets and belongings were stored in an unsanitary manner.
4. Bottles, bottle caps, nipples and other equipment used for bottle feeding were not cleaned and sanitized in a dishwasher or by washing, rinsing, and boiling for one minute.
5. Carpets were not vacuumed weekly or cleaned when soiled.
6. Changing table/pad was not sanitized after each use or cleaned when visibly soiled.
7. Reusable cloths were not being washed daily or when visibly soiled.
8. Cots/Pads/Mats were not cleaned and sanitized before assigning to a different child, when used by a sick child, when soiled or at least every three months.
9. Cribs were not cleaned and sanitized monthly, or when soiled, or before use by another child.
10. Diaper Receptables were not cleaned and sanitized daily or more frequently as needed to eliminate odor.
11. Dishes/Cups/Silverware were not cleaned and sanitized after each use.
12. Water Containers were not labeled with the child's name, or were not cleaned and sanitized before use again on another day.
13. Dividers were not cleaned when visibly soiled.
14. Dress up clothes and hats (dramatic play) were not cleaned monthly or when soiled.
15. Floors were not cleaned weekly or when soiled.
16. The food prep area, including sinks, were not cleaned before and after preparing food (including bottle preparation) or between preparing raw or cooked food.
17. Potty chairs were not cleaned after each use, rinsed with water, cleaned and sanitized or contents were not emptied into a toilet.
18. Food tables, highchair trays were not cleaned before and after each use.
19. Tables used for play were not cleaned when visibly soiled or sanitized daily.
20. Toilet bowls were not cleaned when visibly soiled or sanitized weekly.
21. Toilet seat(s), handle(s) and hand washing sink(s) were not cleaned when visibly soiled or sanitized daily.
22. Mouthed toys were not cleaned and sanitized after each child's use.
23. Toys, other than those mouthed by children, were not cleaned monthly or when visibly soiled.
24. Washable furniture, including fabrics on infant equipment, were not cleaned weekly or when soiled.

25. Upholstered furniture was not steam cleaned when soiled.
26. Slip covers were not washed at least every six months or when soiled.
27. Wastebaskets/rinse buckets, including lids, were not being emptied daily or cleaned and sanitized when visibly soiled.
28. The manufacturer's directions for the cleaning product were not followed.
29. The solution used for sanitizing was not a commercial product registered by the United States Environmental Protection Agency as a sanitizer.
30. Other: All windows in classrooms need cleaned. All chairs, cribs and cots in classrooms need cleaned.
Preschool classroom: door & trashcan need cleaned
SA classroom: trashcan, floor & baseboards need cleaned
Infant: rodent droppings need cleaned from all cribs, green cabinet needs cleaned & fire alarm needs whipped down.
hallways/building: all clutter needs removed, baseboards need cleaned.

Furniture, materials and equipment must be maintained according to the cleaning and sanitizing schedule in Appendix A to this rule. Technical assistance was provided at the time of the inspection, and as discussed, please correct this rule noncompliance. A written response for this rule noncompliance is required at this time.

Corrective Action Plan Due: 06/28/2024

Domain: 02 Safe & Sanitary Environment

Rule: 5101:2-12-13 Sanitary Equipment and Environment
Code: The program is required to provide a clean restroom with the appropriate materials available.

Finding: During the inspection, it was determined that unsanitary conditions, as noted in number 9 below, were in the children's restroom:

1. There was no liquid soap.
2. There was no toilet paper.
3. There were no paper towels.
4. The toilet cleaning brush was accessible to the children.
5. The plunger was accessible to the children.
6. The toilet(s) were not flushed.
7. The trash was not emptied from the day before.
8. There was a strong urine odor.
9. Other: There are bugs in the toilet and the toilet seat and sink are dirty.

The restrooms must be kept sanitary at all times. Technical assistance was provided at the time of the inspection, and as discussed, please correct this rule noncompliance. A written response for this rule noncompliance is required at this time.

Corrective Action Plan Due: 06/28/2024

Domain: 02 Safe & Sanitary Environment

Rule: 5101:2-12-12 Safe Environment
Code: The program is required to provide an environment that protects the children in care from any items and conditions that may threaten their health, safety, and well-being.

Finding: During the inspection, it was determined that children were not protected from items or conditions which may threaten their health, safety, or well-being as noted in number 22 below:

1. Surge protectors/outlets did not have childproof receptacle covers.
2. Open pull cords that are not closed loop.
3. Toys or other items small enough to be swallowed were present in the space where infants and/or toddlers were in care.
4. Electrical/extension cords attached to an object that would not likely result in a severe injury if pulled.
5. Stacked chairs.
6. Employee(s) purse(s).
7. Diaper bags.
8. Television not securely anchored.
9. Small or lightweight pieces of shelving units are not securely anchored to the wall.
10. Smoke detector needing batteries replaced.
11. An area rug did not have a nonskid backing.
12. An area rug presented a tripping hazard.
13. A floor surface that was unsafe in that [ ].
14. No platform was provided for the sink or toilet in the [ ] classroom.
15. The platform provided for the sink or toilet in the [ ] classroom was not sturdy.
16. The platform provided for the sink or toilet in the [ ] classroom posed a safety hazard in that [ ].
17. Telephone cords.
18. Staff member stepped over a barrier/gate while holding a child.
19. Emergency exits were blocked by the following classroom furniture: [ ].
20. A mercury thermometer was being used to take a child's temperature.
21. Methods of ventilation used did not provide protection from rodents, insects, or other hazards.
22. Other: The PS classroom: has an exposed nail in the baseboard and nails exposed in the cork board on the wall.

The SA classroom: Floor tiles need repaired, window is cracked and needs repaired, screws and broken doors on the home living cabinet need fixed, two white shelves are not sturdy and need repaired and A table is broken and needs repaired.

Infant classroom: Floor tiles need repaired, white shelves are not sturdy and need fixed, gate attachment repairs are needed, One crib base needs repaired, red cabinet needs removed or repaired, utility door needs repaired so it can shut.

Children restroom: The sink is coming off the wall, the toilet is leaking when flushed and needs repaired, floor tiles need repaired, the ceiling tiles are failing and dirty and need repaired. The door frame wooden pieces need repaired.

A door needs installed or all hazards removed from the office.

Provide staff training. Submit the program's corrective action plan, which includes a statement that training was provided, to the Department to verify compliance with the requirements of this rule.
Day 2 - Ceiling tiles in the PreK room and hallway need replaced, floor tile in the Prek room near home living/ orange tile needs repaired, floor tiles in the infant class room near crib area needs repaired. Edging on all shelves and in bathroom needs completed.

Corrective Action Plan Due: 06/28/2024

Domain: 03 Postings & Equipment

Rule: 5101:2-12-16 Medical, Dental, and General Emergency Plan
Code: The program is required to post the fire and weather plans.

Finding: During the inspection, it was determined that the following information was not posted for item number 1 below:

1. Fire alert plan, including a diagram indicating evacuation routes with the current program name.
2. Weather alert plan was missing details for [ ].
3. Weather alert plan was missing a diagram indicating evacuation routes.

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 06/28/2024

Domain: 03 Postings & Equipment

Rule: 5101:2-12-16 Medical, Dental, and General Emergency Plan
Code: The program is required to have the JFS 01201 "Dental First Aid" posted in a readily available area at the program.

Finding: During the inspection it was determined that the current JFS 01201 "Dental First Aid" was not posted in a location readily available to center staff and parents with the correct program name as required. Technical assistance was provided at the time of the inspection, and as discussed, please correct this rule noncompliance. A written response for this rule noncompliance is not required at this time.

Domain: 03 Postings & Equipment

Rule: 5101:2-12-16 Medical, Dental, and General Emergency Plan
Code: The program is required to post and implement the JFS 01242 "Medical, Dental, and General Emergency Plan" when necessary.

Finding: During the inspection, it was determined the requirements for the JFS 01242 “Medical, Dental, and General Emergency Plan for Child Care” were not followed as noted in number 1 below:

1. The plan was not posted in each classroom with the correct center name.
2. The plan was not posted in other spaces used by children.
3. The name, address and telephone number of the program were not complete.
4. The location of first aid kit, fire extinguishers and fire alarm system, fire alarm pull stations and electrical circuit box were not complete.
5. The telephone number for emergency squad, fire department, hospital, poison control program, public children services agency, local health department, local emergency management agency, and police department were not complete.
6. Location of children’s records was not complete.
7. Emergency information including any medications or supplies needed in the event of an evacuation was not complete.
8. The current version of the prescribed form was not used.
9. The plan was not implemented when necessary in that [ ].

Submit the program’s corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 06/28/2024

Domain: 04 Indoor/Outdoor Space

Rule: 5101:2-12-11 Outdoor Space Requirements
Code: The program is required to have an outdoor play space free from general hazards.

Finding: During the inspection, it was determined that the off-site outdoor play area located at outside did not meet the rule requirements because it was not free of foreign objects as noted in number 1 & 2 below:
1. There was broken glass.
2. There were tall weeds.
3. There was poison ivy.
4. There were tree branches.
5. There was mold visible.
6. There were thistles with prickers.

7. There were bird droppings.
8. There were bolts with more than two threads exposed along a fence or gate.
9. The sandbox was contaminated.
10. Other [ ].

Discontinue use of this space immediately. Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 06/28/2024

Domain: 04 Indoor/Outdoor Space

Rule: 5101:2-12-11 Outdoor Space Requirements
Code: The program is required to have an outdoor play space free from immediate risk.

Finding: During the inspection, it was determined that an outdoor play area was used which was not protected from traffic and other hazards by a fence in good repair, or other barrier. Although the fence or natural barrier was not meeting the rule requirements, it was determined to not present an immediate risk for a child to be able to leave the playground. The fence or gate was not in good repair and/or being used inappropriately as noted in number 2 & 5 below:

1. The fencing had missing slat boards.
2. The fencing was broken & there is a branch going through the tarp.
3. The fencing was loose.
4. The fencing was rotting.
5. The gate was broken and did not close.
6. The gate was locked.
7. The latch on the gate was broken.
8. The latch was easily opened by children on the playground.
9. The latch was not engaged to prevent children from opening the gate.
10. The gate had no latch.
11. There were bolts with more than two threads exposed along a fence line or gate on a playground.

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 06/28/2024

Domain: 04 Indoor/Outdoor Space

Rule: 5101:2-12-11 Outdoor Play Equipment
Code: The program is required to provide equipment that does not pose a safety risk and must follow the manufacturer's guidelines for assembling, installing and using the equipment.

Finding: During the inspection, it was determined that outdoor play equipment was unsafe or not used as intended as noted in number 9, 10, 15, & 20 below:

1. There was rust exposed.
2. There were protruding bolts.
3. There were cracks.
4. There were holes.
5. There was splintering wood.
6. There were sharp edges or points.
7. There were lead hazards.
8. There were toxic substances.
9. There were tripping hazards and holes under the fence and within the mulch that need evened out.
10. There was chipped and/or peeling paint on the equipment and on the building.
11. The sandbox was not covered when the program was closed or during non-daylight hours.
12. Outdoor equipment, [ ] was not developmentally appropriate.
13. Outdoor equipment, [ ], was placed in the main traffic pattern.
14. Outdoor play equipment, [ ], was positioned too closely together, posing a risk of injury if a child were to fall from one piece of equipment into another.
15. Outdoor equipment, the slide, was not securely anchored but did not present a risk of imminent danger of the structure collapsing when children are using the equipment
16. Outdoor equipment, [ ], was 30 inches or more from the ground and did not have a protective barrier that would prevent a child from falling off this piece of equipment.
17. The manufacturer's guidelines for assembly and installation were not followed for the [ ].
18. Functionally linked equipment was used by preschool-age children and the distance between two adjacent pieces of equipment exceeded 12 inches.
19. Functionally linked equipment was used by school-age children and the distance between two adjacent pieces of equipment exceeded 18 inches.
20. Other: The tarp on the delivery ramp needs repaired, All berries outside need cleaned up and cleaned off the merry go round, dirty chairs need cleaned off.

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 06/28/2024

Domain: 07 Diapering & Infant Care

Rule: 5101:2-12-20 Cribs
Code: The program is required to provide cribs with mattresses in good condition and sheets that are not too large or too small for the crib.

Finding: During the inspection, it was determined that sheets, mattresses and/or mattress covers did not meet the rule requirement as noted in number 3 below:

1. At least one crib did not have a sheet.
2. At least one sheet was too large.
3. At least one sheet was too small.
4. At least one sheet was torn.
5. The mattress was not at least one and one-half inches thick.
6. The mattress was not firm.
7. There was space between the mattress and the sides and end panels of the crib which exceeded one and one-half inches.
8. The mattress cover was not waterproof.
9. The mattress cover was torn.
10. Other: [ ].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 06/28/2024

Domain: 08 Staff Files

Rule: 5101:2-12-08 Medical Statement
Code: The program staff's medical statements are required to be completed and on file at the program.

Finding: In review of the staff records, it was determined that the medical statements for the employees listed on the Employee Record Chart did not meet the requirements as listed in number 1 below.

1. A medical statement was not on file for at least one employee;
2. The medical statement(s) on file did not have a date of examination within 12 months of the employee's first day of employment;
3. Date of examination was missing;
4. Signature, business address, or telephone number of the licensed physician, physician assistant, advanced practice nurse, certified midwife, or certified nurse practitioner who completed the examination was missing;
5. A statement was missing that verifies the employee is:
a. Physically fit for employment in a program caring for children;
b. Immunized against Tetanus, Diphtheria, Pertussis (Tdap);
c. Immunized against Measles, Mumps, and Rubella (MMR);
6. Tuberculosis (TB) screening/test information was missing:
a. Documentation of the screening process to determine if the employee resided in a country identified by the world health organization as having a high burden of TB and arrived in the United States within the five years preceding the date of application for employment.
b. Results of a TB test for employees meeting both criteria in 6a.

c. Results of additional testing for employees with a positive TB test.
d. Written statement, signed by a representative of the TB control unit, that the employee's TB is no longer infectious or the individual is receiving a TB treatment regimen for employees with a positive TB test.

Submit the program's corrective action plan, which includes a copy of the completed employee medical statement, or TB results/documentation, to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 06/28/2024

Domain: 08 Staff Files

Rule: 5101:2-12-07 Administrator Responsibilities/Requirements
Code: The program administrator is required to have hours of availability to meet with parents and have the hours posted in a noticeable location.

Finding: During the inspection, it was determined that the administrator did not have scheduled hours of availability to meet with parents, or the hours of availability were not posted in a noticeable location. Technical assistance was provided at the time of the inspection, and as discussed, please correct this rule noncompliance. A written response for this rule noncompliance is required at this time.

Corrective Action Plan Due: 06/28/2024

Rules In-Compliance/Not Verified

Rule	Status	Documenting Statement(s), If applicable
5101:2-12-02 License Posted	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-12-02 Current Information	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-12-03 Inspection Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
Rule: 5101:2-12-04 Building Department Inspection	Compliant	Documenting Statement: A copy of the certificate of occupancy was available on-site for review. The toddler room at the time of the inspection was not ready and will be assessed on day 2 of this inspection.

Rule	Status	Documenting Statement(s), If applicable
5101:2-12-04 Fire Inspection	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-12-04 Food Service Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-12-05 Denial, Revocation and Suspension	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-12-07 Administrator Qualifications	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-12-08 Orientation Training & Whistle Blower Protection	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-12-10 Health Training Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-12-10 Professional Development Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-12-13 Smoke Free Environment	Compliant	

Rule	Status	Documenting Statement(s), If applicable

5101:2-12-16 First Aid/Standard Precautions	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-12-17 Daily Schedule	Compliant	

Rule	Status	Documenting Statement(s), If applicable
Rule: 5101:2-12-17 Materials and Equipment	Compliant	Documenting Statement: Sufficient equipment was observed in all categories. Equipment in the toddler room was not checked due to classroom not ready to open.

Rule	Status	Documenting Statement(s), If applicable
5101:2-12-18 License Capacity	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-12-08 Child Care Staff Member Educational Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-12-16 Written Disaster Plan	Compliant	