Department of Children & Youth

Licensing Inspection Full Report

All licensed early care and education programs are inspected at least once each year. Non-compliances are documented and grouped by risk level. Documenting statements, technical assistance provided and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the Department of Children & Youth website at https://childcaresearch.ohio.gov/ . This includes complaint investigation reports with substantiated allegations. For any other early care and education records, please contact the Family and Customer Support Center at 1-844-234-5437.

Program Details		
Program Name Ms. Sheri's Childcare	Program Number 2260033169	Program Type FCC - Type B Home
Address 3076 Clermont Road Columbus OH 43227		County FRANKLIN

Inspection Information			
Inspection Type Pre-license	Inspection Scope Full	Inspection Method On-site Inspection	Inspection Notice Announced
Inspection Date 05/18/2026	Begin Time 5:00 PM	End Time 7:00 PM	Reviewer: Tylar Willis

Summary of Findings			
No. Requirements Verified 68	No. Requirements with Non-compliances 8		No. Requirements Compliant 59
No. Serious Risk 0	No. Moderate Risk Findings 1	No. Other Non-compliance Findings 10	No. Technical Assistance Provided 0

License Capacity and Enrollment at the Time of Inspection				
Age Group	License Capacity	Enrollment		
	Totals	Full Time	Part Time	Total
Infant (Birth to < 18 m)		0	0	0
Young Toddler		0	0	0
Total Under 2 ½ Years		0	0	0
Older Toddler		0	0	0
Preschool		0	0	0
School Age		0	0	0
Total Capacity/Enrollment		0	0	0

Department of Children & Youth

Staff-Child Ratios at the Time of Inspection				
Group	**Age Group/Range**	**Ratio Observed**	**Compliance**	**Comment**
Ms. Sheri's Childcare	Mixed Age Group	1 to 0	In Compliance	5:00 - 7:00 PM

Summary of Non-Compliances

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5180:2-12-03, 5180:2-13-03, 5180:2-19-10 and 5180:2-20-02 detail the process for submitting a request for review. The request for review must be submitted within ten business days from the receipt of the licensing report. In addition, if the program is Step Up To Quality rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

Serious Risk Non-Compliances

A serious risk non-compliance is a licensing rule violation that has the potential to lead to a great risk of harm to a child and is observable and/or based on facts.

No serious risk non-compliances were observed during this inspection

Moderate Risk Non-Compliances

A moderate risk non-compliance is a licensing rule violation that has the potential to lead to a great risk of harm to a child and is observable and/or based on facts.

Domain: **02 Safe & Sanitary Environment**

Rule: 5180:2-13-12 Safe Environment

Requirement: The program is required to protect children from any items and conditions which threaten their health, safety, and well-being.

Finding: Children in care shall be protected from any items which threaten their health, safety, and well-being. During the inspection, it was determined the program did not protect children from an unsafe item or condition or equipment due to the following numbers 5 and 15 below:

1. Pull cord(s) on the window blind(s).
2. Extension cord(s); electrical cord(s) attached to an object that could result in a severe injury if pulled.
3. Stacked tables.
4. Folding tables.
5. Lighter.
6. Power tool(s).
7. Live wires.
8. Stove(s) that are either on or able to be turned on by a child.
9. Asbestos.
10. Traffic.
11. A body of water.
12. A well.
13. Environmental hazard(s) confirmed by local authorities having jurisdiction over the hazard.
14. A crockpot used to heat bottles.
15. Immediate access to a knife.
16. Large or heavy pieces of shelving units are not securely anchored to the wall.
17. Marijuana was accessible to children.
18. Other [ ].

Any hazardous equipment must be removed, replaced, or repaired and any hazardous condition must be corrected and must be made inaccessible to children. Provide staff training. Submit the program's corrective action plan, which includes a statement that the item or condition has been removed and a statement that training was provided, to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 06/17/2026

Other Non-Compliances

This section includes other rule violations that are observable and/or based on facts.

Department of Children & Youth

Domain: 02 Safe & Sanitary Environment

Rule: 5180:2-13-12 Safe Environment

Requirement: The program is required to provide an environment that protects the children in care from any items and conditions that may threaten their health, safety, and well-being.

Finding: Children in care shall be protected from any items and conditions which threaten their health, safety, and well being. During the inspection, it was determined that children were not protected from the following item which may threaten their health, safety, or well being as noted in the following number 22 below:

1. Surge protectors/outlets did not have childproof receptacle covers.

2. Open pull cords that are not closed loop.

3. Toys or other items small enough to be swallowed were present in the space where infants and/or toddlers were in care.

4. Electrical/extension cords attached to an object that would not likely result in a severe injury if pulled.

5. Stacked chairs.

6. Telephone cords.

7. Employee(s) purse(s).

8. Diaper bags.

9. Television not securely anchored.

10. Small or lightweight pieces of shelving units are not securely anchored to the wall.

11. Staff member stepped over a barrier/gate while holding a child.

12. Chipping or peeling paint.

13. An area rug did not have a nonskid backing.

14. An area rug presented a tripping hazard.

15. A floor surface was unsafe in that [ ].

16. No platform was provided for the sink or toilet.

17. The platform provided for the sink or toilet was not sturdy.

18. The platform provided for the sink or toilet posed a safety hazard in that [ ].

19. Emergency exits were blocked by the following furniture in that [ ].

20. A mercury thermometer was being used to take a child's temperature.

21. Methods of ventilation used did not provide protection from rodents, insects, or other hazards.

22. Other: Air freshener plug-in was located in the kitchen and program bathroom.

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 06/17/2026

Domain: **02 Safe & Sanitary Environment**

Rule: 5180:2-13-13 Clean environment and equipment

Requirement: The program is required to have all required items in the restroom(s) and keep them sanitary.

Finding: During the inspection, it was determined that unsanitary conditions, as noted in the following numbers 4 and 5 below, were in the program restroom:

1. There was no liquid soap.

2. There was no toilet tissue.

3. There were no individually assigned towels or disposable towels.

4. The toilet cleaning brush was accessible to the children.

5. The plunger was accessible to the children.

6. The toilet was not flushed.

7. The trash was not emptied from the day before.

8. There was a strong urine odor.

9. Other [ ].

The restroom must be kept sanitary at all times. Submit the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 06/17/2026

Domain: **02 Safe & Sanitary Environment**

Rule: 5180:2-13-12 Safe Environment

Requirement: The program is required to have running water below the temperature of 120 degrees Fahrenheit.

Finding: During the inspection, it was determined the water temperature was 125 degrees Fahrenheit in the program bathroom and kitchen. This temperature exceeds the requirement of remaining below 120 degrees Fahrenheit.

Correct the violation and submit the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 06/17/2026

Domain: **03 Postings & Equipment**

Rule: 5180:2-13-17 Programming

Requirement: The program is required to have a daily schedule posted in a visible place.

Finding: During the inspection, it was determined the daily schedule was not posted in the program. Correct the violation and submit the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 06/18/2026

Domain: **03 Postings & Equipment**

Rule: 5180:2-13-16 Medical, Dental, and General Emergency Plan

Requirement: The program is required to post the completed JFS 01242 "Medical, Dental, and General Emergency Plan for Child Care" and implement as required by rule.

Finding: During the inspection, it was determined the requirements for the JFS 01242 "Medical, Dental and General Emergency Plan" were not followed as noted in numbers 1-7 below:

1. The plan was not posted on each level of the home used for child care.

2. The name, address and telephone number of the program were not complete.

3. The location of the first aid kit, fire extinguisher and fire alarm system, fire alarm pull stations and electrical circuit box were not complete.

4. The telephone number for emergency squad, fire department hospital, poison control program, public children services agency, local health department, local emergency management agency and police department were not complete.

5. Location of children's records was not complete.

6. Emergency information including any medications or supplies needed i the event of an evacuation was not complete.

7. The current version of the prescribed form was not used.

8. The plan was not implemented when necessary in that [ ].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 06/17/2026

Domain: **03 Postings & Equipment**

Rule: 5180:2-13-16 Medical, Dental, and General Emergency Plan

Requirement: The program is required to post the completed JFS 01201 "Dental First Aid" and implement as required by rule.

Finding: During the inspection, it was determined the JFS 01201 "Dental First Aid" was not completed. Correct the violation and submit the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 06/17/2026

Domain: **04 Indoor/Outdoor Space**

Rule: 5180:2-13-12 Safe Equipment

Requirement: The program is required to use equipment that is safe and hazard free according to the manufacturer's guidelines. Fans, air conditioners, heat pumps, and space heaters must be inaccessible to children. The program is required to refrain from using trampolines, ball pits and inflatable equipment intended for climbing and bouncing, including but not limited to slides and bounce houses.

Finding: During the inspection, equipment was determined to be unsafe or hazardous to children noted in number 16 below:

1. Manufacturer's guidelines for the [ ] were not followed in that [ ].

2. The straps were missing on the [ ].

3. The straps were attached, but were not used on the [ ].

4. The straps were attached and were used, but were not used in a safe manner.

5. The equipment had sharp points or corners.

6. The equipment had splinters.

7. The equipment had protruding nails.

8. The equipment had loose or rusty parts.

9. The equipment had paint which contains lead or other poisonous materials.

10. The equipment had hazardous features.

11. A fan was unstable and could easily tip over.

12. A fan had openings a finger could enter.

13. The pipes from the heat pump felt hot to the touch

14. A space heater felt hot to the touch

15. The position of a space heater was a tripping hazard

16. The air conditioning unit was not enclosed and was accessible to children on the playground.

17. A ball pit, trampoline, inflatable bounce house, inflatable slide, inflatable equipment used for climbing and bouncing was used.

18. Other [ ].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 06/18/2026

Domain: **05 Health & Safety**

Rule: 5180:2-13-16 Emergency Drills

Requirement: The program is required to meet the requirements for first aid kits.

Finding: During the inspection, it was determined that the program did not have a first aid kit onsite as required, that included all items listed in the appendix A of the rule. The kit were missing the item listed in number 11 below:

1. One roll of first-aid tape;

2. Individually wrapped sterile gauze;

squares in assorted sizes;

3. Sterile adhesive bandages in assorted sizes;

4.Tweezers;

5. Gauze rolled bandage;

6. Triangular bandage;

7. Rounded end scissors;

8. Tooth preservation system or fresh chilled liquid milk in which to transport a lost permanent tooth, including a written reference indicating location of the refrigerator/freezer where milk is stored if a tooth preservation system is not part of the first aid kit (for programs serving school age children only);

9. A working digital thermometer;

10. Disposable non-latex gloves;

11. A working flashlight;

12. An instant cold pack that has not been activated or ice, including a written reference indicating location of the refrigerator/freezer where the ice is stored if an instant cold pack is not part of the first aid kit;

13. Sealable leak-proof plastic bags in assorted sizes or double bagged plastic bags that can be securely tied for materials soiled with blood or bodily fluids;

14. Pocket mask or face shield, appropriate; for all ages of children in care, for cardiopulmonary resuscitation (CPR) administration;

15. Soap or waterless sanitizer (field trip or transporting away from the program only);

16. Bottled water (field trip or transporting away from the program only).

Correct the violation and submit the program's corrective action plan to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 06/17/2026

Domain: **08 Staff Files**

Rule: 5180:2-13-07 Provider Responsibilities

Requirement: The provider is required to reside at the licensed location, not have additional activities or employment during the program's operating hours, be on-site at the program for at least 75 percent of the program's operating hours, and have hours of availability posted in a noticeable place.

Finding: During the inspection, it was determined that the provider was not meeting the following requirements as noted in number 4 below :

1. The provider no longer resides at the licensed location.

2. The licensed provider has additional activities/employment during operating hours, in that [ ].

3. The provider was not on-site for 75 percent of the program’s operating hours as required by this rule.

4. The provider did not have hours of availability to meet with parents a noticeable location.

Correct the violation and submit the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 06/18/2026

Domain: 08 Staff Files

Rule: 5180:2-13-10 Health Training

Requirement: The program is required to meet the health training requirements.

Finding: In review of records, it was determined the provider did not have current valid documentation for trainings listed in number 2 below:

1. First Aid - expired training

2. First Aid - did not have verification of the completion of First Aid training

3. First Aid - documentation did not demonstrate the person who provided the training met the trainer qualifications as stated in the rule

4. CPR - expired training

5. CPR - had not taken CPR training

6. CPR - did not have verification of the completion of CPR training

7. CPR - training taken did not include all age groups and developmental levels of all children in care

8. CPR - documentation did not demonstrate the person who provided the training met the trainer qualifications as stated in the rule

9. CPR- audiovisual or electronic media training taken did not include an in-person component of the training

10. Communicable Disease - expired training

11. Communicable Disease - had not taken CD training

12. Communicable Disease - did not have verification of the completion of CD training

13. Communicable Disease - documentation did not demonstrate the person who provided the training met the trainer qualifications as stated in the rule

14. Child Abuse - expired training

15. Child Abuse - had not taken Child Abuse training

16. Child Abuse - documentation did not demonstrate the person who provided the training met the trainer qualifications as stated in the rule

Correct the violation and submit the documentation of current certification with the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 06/17/2026

Domain: **02 Safe & Sanitary Environment**
Rule: 5180:2-13-13 Clean environment and equipment
Requirement:The program is required to have all required items in the restroom(s) and keep them sanitary.
Findings:During the inspection, it was determined that unsanitary conditions, as noted in the following numbers 4 and 5 below, were in the program restroom:

1. There was no liquid soap.
2. There was no toilet tissue.
3. There were no individually assigned towels or disposable towels.
4. The toilet cleaning brush was accessible to the children.
5. The plunger was accessible to the children.
6. The toilet was not flushed.
7. The trash was not emptied from the day before.
8. There was a strong urine odor.
9. Other [ ].

The restroom must be kept sanitary at all times. Submit the program's corrective action plan to verify compliance with the requirement of the rule.
Corrective Action Plan Due: 06/17/2026

Domain: **02 Safe & Sanitary Environment**
Rule: 5180:2-13-12 Safe Environment
Requirement:The program is required to protect children from any items and conditions which threaten their health, safety, and well-being.
Findings:Children in care shall be protected from any items which threaten their health, safety, and well-being. During the inspection, it was determined the program did not protect children from an unsafe item or condition or equipment due to the following numbers 5 and 15 below:

1. Pull cord(s) on the window blind(s).
2. Extension cord(s); electrical cord(s) attached to an object that could result in a severe injury if pulled.
3. Stacked tables.
4. Folding tables.
5. Lighter.
6. Power tool(s).
7. Live wires.
8. Stove(s) that are either on or able to be turned on by a child.
9. Asbestos.

10. Traffic.
11. A body of water.
12. A well.
13. Environmental hazard(s) confirmed by local authorities having jurisdiction over the hazard.
14. A crockpot used to heat bottles.
15. Immediate access to a knife.
16. Large or heavy pieces of shelving units are not securely anchored to the wall.
17. Marijuana was accessible to children.
18. Other [ ].

Any hazardous equipment must be removed, replaced, or repaired and any hazardous condition must be corrected and must be made inaccessible to children. Provide staff training. Submit the program's corrective action plan, which includes a statement that the item or condition has been removed and a statement that training was provided, to the Department to verify compliance with the requirements of this rule.
Corrective Action Plan Due: 06/17/2026

Domain: **02 Safe & Sanitary Environment**
Rule: 5180:2-13-12 Safe Environment
Requirement:The program is required to provide an environment that protects the children in care from any items and conditions that may threaten their health, safety, and well-being.
Findings:Children in care shall be protected from any items and conditions which threaten their health, safety, and well being. During the inspection, it was determined that children were not protected from the following item which may threaten their health, safety, or well being as noted in the following number 22 below:

1. Surge protectors/outlets did not have childproof receptacle covers.
2. Open pull cords that are not closed loop.
3. Toys or other items small enough to be swallowed were present in the space where infants and/or toddlers were in care.
4. Electrical/extension cords attached to an object that would not likely result in a severe injury if pulled.
5. Stacked chairs.
6. Telephone cords.
7. Employee(s) purse(s).
8. Diaper bags.
9. Television not securely anchored.
10. Small or lightweight pieces of shelving units are not securely anchored to the wall.
11. Staff member stepped over a barrier/gate while holding a child.
12. Chipping or peeling paint.
13. An area rug did not have a nonskid backing.
14. An area rug presented a tripping hazard.
15. A floor surface was unsafe in that [ ].
16. No platform was provided for the sink or toilet.
17. The platform provided for the sink or toilet was not sturdy.
18. The platform provided for the sink or toilet posed a safety hazard in that [ ].
19. Emergency exits were blocked by the following furniture in that [ ].
20. A mercury thermometer was being used to take a child's temperature.

21. Methods of ventilation used did not provide protection from rodents, insects, or other hazards.
22. Other: Air freshener plug-in was located in the kitchen and program bathroom.

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.
Corrective Action Plan Due: 06/17/2026

Domain: **03 Postings & Equipment**
Rule: 5180:2-13-17 Programming
Requirement:The program is required to have a daily schedule posted in a visible place.
Findings:During the inspection, it was determined the daily schedule was not posted in the program. Correct the violation and submit the program's corrective action plan to verify compliance with the requirement of the rule.
Corrective Action Plan Due: 06/18/2026

Domain: **03 Postings & Equipment**
Rule: 5180:2-13-16 Medical, Dental, and General Emergency Plan
Requirement:The program is required to post the completed JFS 01242 "Medical, Dental, and General Emergency Plan for Child Care" and implement as required by rule.
Findings:During the inspection, it was determined the requirements for the JFS 01242 "Medical, Dental and General Emergency Plan" were not followed as noted in numbers 1-7 below:

1. The plan was not posted on each level of the home used for child care.
2. The name, address and telephone number of the program were not complete.
3. The location of the first aid kit, fire extinguisher and fire alarm system, fire alarm pull stations and electrical circuit box were not complete.
4. The telephone number for emergency squad, fire department hospital, poison control program, public children services agency, local health department, local emergency management agency and police department were not complete.
5. Location of children's records was not complete.
6. Emergency information including any medications or supplies needed i the event of an evacuation was not complete.
7. The current version of the prescribed form was not used.
8. The plan was not implemented when necessary in that [ ].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.
Corrective Action Plan Due: 06/17/2026

Domain: **03 Postings & Equipment**
Rule: 5180:2-13-16 Medical, Dental, and General Emergency Plan
Requirement:The program is required to post the completed JFS 01201 "Dental First Aid" and implement as required by rule.
Findings:During the inspection, it was determined the JFS 01201 "Dental First Aid" was not completed. Correct the violation and submit the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 06/17/2026

Domain: **04 Indoor/Outdoor Space**
Rule: 5180:2-13-12 Safe Equipment
Requirement:The program is required to use equipment that is safe and hazard free according to the manufacturer's guidelines. Fans, air conditioners, heat pumps, and space heaters must be inaccessible to children. The program is required to refrain from using trampolines, ball pits and inflatable equipment intended for climbing and bouncing, including but not limited to slides and bounce houses.
Findings:During the inspection, equipment was determined to be unsafe or hazardous to children noted in number 16 below:

1. Manufacturer's guidelines for the [ ] were not followed in that [ ].
2. The straps were missing on the [ ].
3. The straps were attached, but were not used on the [ ].
4. The straps were attached and were used, but were not used in a safe manner.
5. The equipment had sharp points or corners.
6. The equipment had splinters.
7. The equipment had protruding nails.
8. The equipment had loose or rusty parts.
9. The equipment had paint which contains lead or other poisonous materials.
10. The equipment had hazardous features.
11. A fan was unstable and could easily tip over.
12. A fan had openings a finger could enter.
13. The pipes from the heat pump felt hot to the touch
14. A space heater felt hot to the touch
15. The position of a space heater was a tripping hazard
16. The air conditioning unit was not enclosed and was accessible to children on the playground.
17. A ball pit, trampoline, inflatable bounce house, inflatable slide, inflatable equipment used for climbing and bouncing was used.
18. Other [ ].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.
Corrective Action Plan Due: 06/18/2026

Domain: **05 Health & Safety**
Rule: 5180:2-13-16 Emergency Drills
Requirement:The program is required to meet the requirements for first aid kits.
Findings:During the inspection, it was determined that the program did not have a first aid kit onsite as required, that included all items listed in the appendix A of the rule. The kit were missing the item listed in number 11 below:

1. One roll of first-aid tape;
2. Individually wrapped sterile gauze;
squares in assorted sizes;

3. Sterile adhesive bandages in assorted sizes;
4.Tweezers;
5. Gauze rolled bandage;
6. Triangular bandage;
7. Rounded end scissors;
8. Tooth preservation system or fresh chilled liquid milk in which to transport a lost permanent tooth, including a written reference indicating location of the refrigerator/freezer where milk is stored if a tooth preservation system is not part of the first aid kit (for programs serving school age children only);
9. A working digital thermometer;
10. Disposable non-latex gloves;
11. A working flashlight;
12. An instant cold pack that has not been activated or ice, including a written reference indicating location of the refrigerator/freezer where the ice is stored if an instant cold pack is not part of the first aid kit;
13. Sealable leak-proof plastic bags in assorted sizes or double bagged plastic bags that can be securely tied for materials soiled with blood or bodily fluids;
14. Pocket mask or face shield, appropriate; for all ages of children in care, for cardiopulmonary resuscitation (CPR) administration;
15. Soap or waterless sanitizer (field trip or transporting away from the program only);
16. Bottled water (field trip or transporting away from the program only).

Correct the violation and submit the program's corrective action plan to verify compliance with the requirements of this rule.
Corrective Action Plan Due: 06/17/2026

Domain: **08 Staff Files**
Rule: 5180:2-13-07 Provider Responsibilities
Requirement:The provider is required to reside at the licensed location, not have additional activities or employment during the program's operating hours, be on-site at the program for at least 75 percent of the program's operating hours, and have hours of availability posted in a noticeable place.
Findings:During the inspection, it was determined that the provider was not meeting the following requirements as noted in number 4 below :

1. The provider no longer resides at the licensed location.
2. The licensed provider has additional activities/employment during operating hours, in that [ ].
3. The provider was not on-site for 75 percent of the program’s operating hours as required by this rule.
4. The provider did not have hours of availability to meet with parents a noticeable location.

Correct the violation and submit the program's corrective action plan to verify compliance with the requirement of the rule.
Corrective Action Plan Due: 06/18/2026

Domain: **08 Staff Files**
Rule: 5180:2-13-10 Health Training
Requirement:The program is required to meet the health training requirements.

Findings:In review of records, it was determined the provider did not have current valid documentation for trainings listed in number 2 below:

1. First Aid - expired training
2. First Aid - did not have verification of the completion of First Aid training
3. First Aid - documentation did not demonstrate the person who provided the training met the trainer qualifications as stated in the rule
4. CPR - expired training
5. CPR - had not taken CPR training
6. CPR - did not have verification of the completion of CPR training
7. CPR - training taken did not include all age groups and developmental levels of all children in care
8. CPR - documentation did not demonstrate the person who provided the training met the trainer qualifications as stated in the rule
9. CPR- audiovisual or electronic media training taken did not include an in-person component of the training
10. Communicable Disease - expired training
11. Communicable Disease - had not taken CD training
12. Communicable Disease - did not have verification of the completion of CD training
13. Communicable Disease - documentation did not demonstrate the person who provided the training met the trainer qualifications as stated in the rule
14. Child Abuse - expired training
15. Child Abuse - had not taken Child Abuse training
16. Child Abuse - documentation did not demonstrate the person who provided the training met the trainer qualifications as stated in the rule

Correct the violation and submit the documentation of current certification with the program's corrective action plan to verify compliance with the requirement of the rule.
Corrective Action Plan Due: 06/17/2026

Technical Assistance Provided

This section documents technical assistance provided to the program when the program demonstrated an overall level of compliance with a rule requirement.

In Compliance/Not Verified/Previously Verified/Not Applicable

This section documents rule requirements that were assessed as fully compliant, previously verified, not verified during this inspection or not applicable to the program.

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-02 Voluntary Temporary Closure	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-02 License Visible	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-02 Change of Location	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-02 Information in OCLQS	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-02 Provider Medical	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-03 Inspection Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-04 Building Requirements for Type B Homes	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-04 Fire Safety for Type B Homes	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-05 Denial, Revocation, and Suspension	Not Applicable	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-04 Flammable and Combustible Materials in a Type B Home	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-04 Heaters in a Type B Home	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-07 Staff Records	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13 Written Policies and Procedures	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-07 Type B Provider - Foster Parent	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-08 Employee Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-08 Child Care Staff Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-08 Whistle Blower	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-09 Background Checks	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-10 Professional Development	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-11 Indoor Space	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-11 Outdoor Space	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-11 Outdoor Equipment	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-11 Fall Zone	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-12 Carbon Monoxide Detectors - Type B Only	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-12 Pets	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-14 Ratio and Supervision for Field and Routine Trips	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-13 Toothbrushing	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-13 Smoke Free	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-14 Requirements for Field and Routine Trips	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-13 Handwashing	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-14 Driver Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-14 Vehicle Inspections	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-14 Vehicle Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-15 Child Medical and Enrollment Records	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-15 Health Conditions	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-15 Child Records Retention and Confidentiality	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-16 First Aid Kit/Standard Precautions	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-16 Communicable Diseases	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-16 Incident/Injury	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-16 Emergency Preparedness and Response Plan	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-17 Materials and Equipment	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-18 Group Size and Ratios	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-18 Attendance	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-19 Supervision	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-19 School Age Supervision	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-20 Sleep and Nap Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-19 Child Guidance	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-20 Crib and Playpen Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-21 Evening and Overnight Care	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-21 Sanitary Environment and Hygiene	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-22 Meals and Snacks	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-22 Fluid Milk	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-22 Food Handling	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-23 Infant Daily Care	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-23 Infant Bottle and Food Preparation	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-23 Diapering	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-24 On-site Pools	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-24 Swimming Sites	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-24 Parent Permission for Swimming	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-25 Medication Requirements	Compliant	